Safety Data Sheet - PU Foam

Page 1 Edition: 42

Producer:

NEVEON Austria GmbH

A-4550 Kremsmünster

Greinerstraße 70

A-4020 Linz

Eduard Suess Strasse 25

INFO: +49 9561 855661

juergen.diez@neveon.com

PRODUCT:

Flexible polyurethane foam (PU)

Scope of application: entire range of products of NEVEON Austria GmbH: Polyether and Polyesther-Foam grades and resultant recycling products.

last edit:

02.10.2023

page 3: Bisphenol's added

page 4: Informations to REACH Reg. 1907/2006 added

*) changed since last edition

1. Characteristics:

flexible polyurethane foam

polyaddition product from diisocyanate, polyether/polyestherpolyol, additives and water.

2. Handling / potential dangers :

Dust, smoke or vapour developed during processing (hot deformation, hot wire cutting, thermolamination) should not be inhalated and schouldn't get into the eyes.

3. Ingredients:

The product does not contain hazardous substances

4. First-aid measures :

No special measures are required for the processing of flexible polyurethane foam.

5. Measures to be taken in case of fire :

Flexible polyurethan foam is inflammable. All common methods of fire fighting like water (also with foam added), CO2 extinguishing powder or powder fire extinguishers may be used for fire fighting.

In case of a fire the development of heavy smoke is to be expected. Therefore the use of "heavy respiratory protection" (protective equipment independent of air circulation) is advisable. Depending on the conditions during the fire the gases developing contain different amounts of soot, carbon monoxide, nitric oxides, hydrocyanic and organic products of pyrolysis, just like with the burning of wood or wool.

Moreover, the development of corrosive gases like e.g. chloric hydrogen has to be expected with flame-retardant types of foam.

6. Measures in case of accidental release :

Is not relevant for flexible PU-foam.

7. Handling and storage:

Do not store close to sources of ignition. UV-radiation makes the surface color change and turn yellow.

NEVEON

Safety Data Sheet - PU Foam

Page 2 Edition: 42

8. Personal safety equipment :

Basically, there is no need for a safety equipment. Should dust, smoke or vapour develop durin processing provide for adequate filtering and use protective glasses and respiratory protection.

9. Phisycal and chemical properties:

form open-cell flexible foam

colour depends on the colour used by the produce

smell weak natural smell density appr. 7 - 110 Kg/m³

solubility insoluble

flash point 315 - 370 °C

self-ignition temperature 370 - 427 °C

decomposition temperature > 180 °C

thermal conductivity coefficient λ appr. 0,038 W/°C m

pH-value 6,4 - 8,5

10. Stability and reactivity:

PU-foam remains stable within a temperature range of -40 °C to 120 °C

The use of solvents makes the material swell.

11. Toxicology:

According to numerous examination results and findings PU-foam is nowadays generally considered safe.

LD50 (oral rat) 5000 mg/Kg

12. <u>Ecology</u>:

The produkt rots slowly

Water-endangering class $\mathbf{WGK} = \mathbf{0}$ - does not endanger water (self assessment).

13. <u>Disposal</u>:

PU-foam can be recycled and should therefore be taken to recycling centres.

According to the waste-disposal law and its regulations there are no special requirements for the disposal of PU-foam. It may be disposed of both in waste dumps and modern incineration plants.

European waste code : 20 01 39 "Plastics"

Waste code according to ÖNORM S 2100 (edition 9/1997) = **57110 - flexible polyurethane foam**

14. Transport:

No specific measures are required for transport. No hazardous good.

GGVE / GGVS : KI. --- RID / ADR : GGVSee : --- UN-No. : ---

15. Regulations:

There are no specific regulations.

16. Other information:

None.

NEVEON

Safety Data Sheet - PU Foam

Page 3 Edition: 42

Appendix 1

Further information on flexible polyurethane foam :

- When exposed to the sun the foam's surface turns yellow, the extent varies depending on the duration and intensity of exposion.
- Cleaning in a steam autoclave can lead to permanent deformation (for example round edges)
- Cleaning in a steam autoclave is possible approximetly 10 to 15 times at 135 °C
- The cleaning temperature should not exeed 80 °C
- NEVEON foams are saliva- and perspiration-proof
 Expertise Austrian Textile Research Institute ÖTI
- The specific surface resistance of our PU-foams is :

> 10¹¹ Ohm = insulating material

<u>legend acc.</u> **IEC 61340-5-1** <u>testvoltage = 100 V :</u>

```
10^2 to 10^5 Ohm = electrostatic conductive

10^5 to 10^{11} Ohm = electrostatic dissipative (antistatic)

> 10^{11} Ohm = insulating
```

Appendix 2

Hazardous substances not contained in PU-foam:

volatile chlorinated, fluorinated hydrocarbons like e.g.:

CFC, H-CFC, tetrachlorocarbone, dichloromethane, 1.1.1.-trichloroethane, trichloroethylene, tetrachloroethylene, methylenechloride

chlorous hydrocarbons like e.g.:

vinyl chloride, pentachlorophenole (PCP), polychlorinated biphenyl (PCB), polychlorinated terphenyls, polychlorinated dioxins, polychlorinated difuranes

* hydrocarbones containing bromine like e.g.:

tetrabromobiphenol A, polybromic diphenylether, tris(2,3-dibromopropyl)-phosphate, hexabromocyclo-dodecane Deca Brom Diphenyl Ether

aromatic hydrocarbones :

benzene, styrene, xylene

<u>amines :</u>

nitrosamines, naphtylamine and it salts, 4-N2-naphtylamine and it salts, 4-aminodiphenyl and it salts, 4,4 diaminodiphenylmethane

metals and metal compounds :

arsenic, lead, cadmium, chromium, cobalt, nickel, mercury, zinc and their compounds,

oxidic compounds:

Antimontrioxid, Biphenyloxide, Peroxide, Tris(aziridinyl-)phosphinoxid,

microplastic:

Polyurethane foam does not contain any microplastics.

The mentioned plastic parts are not part of the foam formulation nor content of the used raw materials.

But in some special circumstances microplastics can be generated out of foam as of any other plastic parts by friction (for example in water)

other substances

asbestus, benzidines and their salts, difurans, dioxins, formaldehyde, monomeric isocyanates, nonylphenol, octylphenol, 4-nitrodiphenyl, tributyltin (TBT), organic tin, trichlorphenol (TCP), * Bisphenol´s (=Bisphenol-A/-B /-C /-AF/-AP/-BP/-E/-F/-FL/-G/-M/-P/-PH/-S/-TMC/-Z), thiuram and it compounds, AZO colors, phthaltes, silicones, sulfonic acid, dimethylfumarate, halogens, latex, dimethylformamide (DMF), Alkylphenolethoxylate.

*)

Safety Data Sheet - PU Foam

Page 4 Edition: 42

Appendix 3

Confirmation

Our PU-foams fulfill the following juridical requirements :

- *) 1907/2006 (REACH)* => *with expecting of following PUR-foams, with more than 0,1 % Melamin Content (CAS 108-78-1): TF11MDH, TF11MDC, TF16MDB, TF16MDC, TF15MDB, TF15MDB_VW, TS20, R2530 AS, RF2530, RF2618, R3530 AS, RF3540, R4255 AS, RF4550, R5040 AS, RF5353, RF5560, R5560 AS, R5580 AS, R55100 AS, RF5740, RF5760; relevant Informations can be found at "Melamin Safe Use_Information Letter" (=Sales dept. Sent to affected customers already)
 - Austrian environmental legislation
 - no prohibited or declared substances as listed in GADSL (formerly VDA-list 232-101)
 - no prohibited substances listed in EU-directive 2011/65/EU (RoHS), 2005/618/EC, 2006/122 EEC, (EU) 2015/863, (EU) 2016/585, (EU) 2017/2102 and China RoHS (lead, cadmium, mercury, chrom VI, chlore, PBB, PBDE, tin, asbest, ...).
 - no pentabromdiphenylether and octabromdiphenylether as shown in EU-directive 2003/11/EG
 - no polychlorated biphenyles (PCB) and terphenyles (PCT) as shown in EU-directive 76/769/EWG
 - no heavy metals (lead, cadmium, mercury, chrom VI) as shown in EU-directive 2000/53/EG, article 1 and update 2002/525/EG and update (EU) 2016/774
 - recyclable in accordance to EU-directive 2000/53/EG, article 1 recyclable
 - no hazardous substances in our packaging materials as shown in EU-directive 94/62/EG, article 11 (lead, cadmium, mercury, chrom VI) also valid if PU-foam is used for packaging material.
 - declaration, wrapping and labelling of hazardous substances in acc. to EU 67/548/EWG, EU 1999/45
 - all our packaging materials are recyclable according to EU-directive 94/62/EG and can be used several times. Waste from packaging will be collected and recycled by ARA Austria
 - all PU-foams are recyclable according to EU-directive 2012/19/EG (WEEE)
 - no AZO colors as listed in EU-directive 2002/61/EG
 - no ozone-depleting substances listed in EU 1005/2009
 - no use of PFAS (also known as PFC), includes PFOA and PFOS

Signature :